



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/651,228	08/29/2003	Daniel D. Evans	0316	8913

7590 11/30/2004

H. GORDON SHIELDS
7830 NORTH 23RD AVENUE
PHOENIX, AZ 85021

EXAMINER

MITCHELL, KATHERINE W

ART UNIT	PAPER NUMBER
----------	--------------

3677

DATE MAILED: 11/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/651,228	EVANS, DANIEL D.	
	Examiner	Art Unit	
	Katherine W Mitchell	3677	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 2/17/04.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-33 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This application contains claims directed to the following patentably distinct species of the claimed invention:

Figs 1-4 -- louvre type diggers, rectangular center bridge

Figs 5 -- nail/spike and aperture type connections

Fig 6 -- barb connections

Fig 7 — circular center bridge non-telescoping

Fig 9 — telescoping circular bridge

Fig 8 — I beam type center bridge

Figs 10-12 — dual center bridges and dual end plate pairs, conduit form securing means on lower bridge

Fig 13 — vee groove holders in conduit form securing means

Fig 14 — strap holders for securing means

Figs 15-17 -- circular center bridge, end plates with louvers and spike/aperture diggers, rectangular conduit form (although not illustrated, assumed additional bridge element needed above bridge element/conduit form 254/260 per spec [0082].

2. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1-2 and 24 are generic. Note that multiple species can be elected on the condition that they are described as obvious variants, or a broad species can be elected that, once an

Art Unit: 3677

allowable claim to the broad species is indicated, could later include species that are included by the broadest allowable claim.

3. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added.

An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

4. Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

5. A telephone call was made to H Gordon Shields on 11/19/04 and 11/24/04 to request an oral election to the above restriction requirement, but did not result in an election being made. Examiner received a message on Nov 24 that did not seem to specify a specific group as defined, and a return call was not answered.

Art Unit: 3677

6. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

7. Examiner notes that normally drawing comments are not included with a restriction requirement. However, Mr. Shields has indicated a strong desire to clarify the invention and speed prosecution, and thus the drawing comments below are included to allow applicant to amend the drawings with the restriction response to avoid an additional office action and the costs and delays associated with the extra response.

Drawings

8. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the conduit form on the (only one disclosed) center bridge portion (claim 18 and claim 29) with conduits disposed on the conduit form (claim 18 and claim 29) with the center bridge portion over the conduits (claim 18 via claim 16 via claim 1, and claim 24) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Examiner notes that it appears this situation is contradictory and impossible. Examiner considered that possibly Fig 11 disclosed this claim, but if 178 is the center bridge portion, and 180 is the conduit form, the conduits cannot physically be both on the conduit form (as shown with the vee or curved sections facing away from the center bridge) and also be below the center bridge. The conduit form is always shown on the second center

Art Unit: 3677

bridge portion of claim 19, not on "the" center bridge of claims 1, 16, 18, and 20-22, and 29.

Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katherine W Mitchell whose telephone number is 703-305-6713. The examiner can normally be reached on Mon - Thurs 10 AM - 8 PM.

Art Unit: 3677

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on 703-306-4115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kwm
11/24/2004

A handwritten signature in black ink, appearing to read "Katherine M. Swann", is written diagonally across the page.